

ANNUAL
WATER
QUALITY
REPORT

Water testing performed in 2008



PWSID#: E-3354779/W-3350215

This report was prepared by:
City of Clermont
3335 Hancock Rd.
Clermont, FL 34711

Continuing Our Commitment

We are once again proud to present to you our annual water quality report. This edition covers all testing completed from January 1 through December 31, 2008. We are pleased to tell you that our compliance with all state and federal drinking water laws remains exemplary. As in the past, we are committed to delivering the best-quality drinking water. To that end, we remain vigilant in meeting the challenges of source water protection, water conservation, and community education while continuing to serve the needs of all of our water users. Please note that if you live west of Hwy. 27 you are on the West Water System and if you live east of Hwy. 27 you are on the East Water System.

For more information about this report, or for any questions relating to your drinking water, please call Bob Reed, Operations Supervisor, at 352-241-0178.

Community Participation

You are invited to participate in our council meetings and voice your concerns about our water utility. We meet on the second and fourth Tuesday of each month beginning at 7 p.m. at City Hall, 685 W. Montrose Street, Clermont, FL.

Substances That Could Be in Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include: Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming; Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at (800) 426-4791.

Lead and Drinking Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

What's a Cross-connection?

A cross-connection is formed at any point where a drinking water line connects to equipment (boilers), systems containing chemicals (air conditioning systems) or water sources of questionable quality. Cross-connection contamination can occur when the pressure in the equipment or system is greater than the pressure inside the drinking water line (backpressure). Contamination can also occur when the pressure in the drinking water line drops due to fairly routine occurrences (heavy water demand) causing contaminants to be sucked out from the equipment and into the drinking water line (backsiphonage).

Outside water taps and garden hoses tend to be the most common sources of cross-connection contamination at home. The garden hose creates a hazard when submerged in a swimming pool or when attached to a chemical sprayer for weed killing. Garden hoses that are left lying on the ground may be contaminated by fertilizers, cesspools or garden chemicals. Improperly installed valves in your toilet could also be a source of cross-connection contamination.

Community water supplies are continuously jeopardized by cross-connections unless appropriate valves, known as backflow prevention devices, are installed and maintained. For more information, visit the U.S. EPA's Web site at www.epa.gov/safewater/crossconnection.html.

Source Water Assessment

In 2008 the Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our wells. There are 17 potential sources of contamination identified for both systems with high to low susceptibility levels. Potential sources of contamination identified include underground petroleum storage tanks (moderate to high), delineated area (moderate) and wastewater treatment plants (low). The assessment results are available on the FDEP Source Water Assessment and Protection Program Web site at www.dep.state.fl.us/swapp or they can be obtained from Bob Reed at (352) 241-0178.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

Arsenic in Water

While your drinking water meets U.S. EPA's standard for arsenic, it does contain low levels of arsenic. U.S. EPA's standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. U.S. EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

Where Does My Water Come From?

Our drinking water originates from one of the largest sources of freshwater in the country, the Floridan Aquifer. The aquifer lies deep below much of Florida and is replenished mainly by rainwater filtering through hundreds of feet of rock and sand. This groundwater is typically of high quality, requiring only disinfection with chlorine prior to distribution to our customers.

Sampling Results

The table below shows only those contaminants that were detected in the water. The state requires us to monitor for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

PRIMARY REGULATED CONTAMINANTS								
Microbiological Contaminants								
		City of Clermont-East		City of Clermont-West				
CONTAMINANT AND UNIT OF MEASUREMENT	MCL VIOLATION (YES/NO)	DATE OF SAMPLING (MO./YR.)	HIGHEST MONTHLY PERCENTAGE/NUMBER	DATE OF SAMPLING (MO./YR.)	HIGHEST MONTHLY PERCENTAGE/NUMBER	MCLG	MCL	LIKELY SOURCE OF CONTAMINATION
Total Coliform Bacteria (% positive samples)	No	01/08	4.95	2008	ND	0	Presence of coliform bacteria in 5% of monthly samples	Naturally present in the environment
		City of Clermont-East		City of Clermont-West				
CONTAMINANT AND UNIT OF MEASUREMENT	MCL VIOLATION (YES/NO)	DATE OF SAMPLING (MO./YR.)	TOTAL NUMBER OF POSITIVE SAMPLES FOR THE YEAR	DATE OF SAMPLING (MO./YR.)	TOTAL NUMBER OF POSITIVE SAMPLES FOR THE YEAR	MCLG	MCL	LIKELY SOURCE OF CONTAMINATION
Fecal coliform and E.coli (# positive samples)	No	01/08	3	2008	ND	0	0 ¹	Human and animal fecal waste

Radiological Contaminants										
		City of Clermont-East			City of Clermont-West					
CONTAMINANT AND UNIT OF MEASUREMENT	MCL VIOLATION (YES/NO)	DATE OF SAMPLING (MO./YR.)	LEVEL DETECTED	RANGE OF RESULTS	DATE OF SAMPLING (MO./YR.)	LEVEL DETECTED	RANGE OF RESULTS	MCLG	MCL	LIKELY SOURCE OF CONTAMINATION
Alpha Emitters (pCi/L)	No	01/08	4.4	ND-4.4	01/08	1.9	1.3-1.9	0	15	Erosion of natural deposits
Radium 226 + 228 [Combined Radium] (pCi/L)	No	01/08	ND	NA	01/08	1.4	0.9-1.4	0	5	Erosion of natural deposits
Inorganic Contaminants										
Antimony (ppb)	No	01/08	1.5	ND-1.5	01/08	ND	NA	6	6	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder
Arsenic (ppb)	No	01/08	5.3	2.8-5.3	01/08	1.1	ND-1.1	NA	10	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
Barium (ppm)	No	01/08	.0152	.006-.0152	01/08	.0105	.0065-.0105	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Chromium (ppb)	No	01/08	6.7	4.7-6.7	01/08	11.5	7.4-11.5	100	100	Discharge from steel and pulp mills; erosion of natural deposits
Fluoride (ppm)	No	01/08	0.264	ND-0.264	01/08	ND	NA	4	4.0	Erosion of natural deposits; discharge from fertilizer and aluminum factories; water additive that promotes strong teeth when at optimum levels between 0.7 and 1.3 ppm
Nickel (ppb)	No	01/08	1.3	ND-1.3	01/08	1.1	ND-1.1	NA	100	Pollution from mining and refining operations; natural occurrence in soil
Nitrate [as Nitrogen] (ppm)	No	01/08	4.19	1.12-4.19	01/08	ND	NA	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Selenium (ppb)	No	01/08	40.75	4.6-40.75	01/08	ND	NA	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Sodium (ppm)	No	01/08	7.46	2.99-7.46	01/08	6.2	4.08-6.2	NA	160	Salt water intrusion, leaching from soil

Stage 1 Disinfectants and Disinfection By-Products

		City of Clermont-East			City of Clermont-West					
CONTAMINANT AND UNIT OF MEASUREMENT	MCL VIOLATION (YES/NO)	DATE OF SAMPLING (MO./YR.)	LEVEL DETECTED	RANGE OF RESULTS	DATE OF SAMPLING (MO./YR.)	LEVEL DETECTED	RANGE OF RESULTS	MCLG OR [MRDLG]	MCL OR [MRDL]	LIKELY SOURCE OF CONTAMINATION
Chlorine (ppm)	No	2008 (monthly)	1.6	.6-3.0	2008	1.64	0.5-3.8	[4]	[4.0]	Water additive used to control microbes
Haloacetic Acids (five) [HAA5] (ppb)	No	2008	1.76	ND-5.0	2008	16.14	3.9-31.1	NA	60	By-product of drinking water disinfection
TTHM [Total trihalomethanes] (ppb)	No	2008	13.34	ND-24.1	2008	30.16	9.7-52.9	NA	80	By-product of drinking water disinfection

Lead and Copper (Tap water samples were collected from sites throughout the community)

		City of Clermont-East			City of Clermont-West					
CONTAMINANT AND UNIT OF MEASUREMENT	AL VIOLATION (YES/NO)	DATE OF SAMPLING (MO./YR.)	90TH PERCENTILE RESULT	NO. OF SAMPLING SITES EXCEEDING THE AL	DATE OF SAMPLING (MO./YR.)	90TH PERCENTILE RESULT	NO. OF SAMPLING SITES EXCEEDING THE AL	MCLG	AL (ACTION LEVEL)	LIKELY SOURCE OF CONTAMINATION
Copper [tap water] (ppm)	No	06/06	0.165	0	2008	0.808	1	1.3	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead [tap water] (ppb)	No	06/06	ND	0	2008	3.9	2	0	15	Corrosion of household plumbing systems, erosion of natural deposits

¹A routine sample and repeat sample are total coliform positive, and one is also fecal coliform or E. Coli positive

Results in the Level Detected column for radiological contaminants, inorganic contaminants, synthetic organic contaminants including pesticides and herbicides, and volatile organic contaminants are the highest average at any of the sampling points or the highest detected level at any sampling point, depending on the sampling frequency.

For bromate, chloramines, or chlorine, the level detected is the the highest running annual average (RAA), computed quarterly, of monthly averages of all samples collected. For haloacetic acids or TTHM, the level detected is the highest RAA, computed quarterly, of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

Definitions

AL (Action Level): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

IDSE (Initial Distribution System Evaluation): An important part of the Stage 2 Disinfection Byproducts Rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system locations with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their Stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable

ND (Not detected): Indicates that the substance was not found by laboratory analysis.

pCi/L (picocuries per liter): A measure of radioactivity.

ppb (parts per billion): One part substance per billion parts water (or micrograms per liter).

ppm (parts per million): One part substance per million parts water (or milligrams per liter).